Field Journal

South No 2.



Indexes at back.

Field Journal

South No 2

Aug. 1982.

Distribution Map of Victoria



Field Trip
Collecting
with Kevin Kelly
to Trawsfynydd area
Feb 23rd 1982

0630 Depart
Wetherby
Fine mild
overcast.
Out through Ripon
- Lunch break
at Thirsk
Park. Rd dl
Scarborough Rd
turned left towards
Helmsley avoiding
Over railway line
down left.
0700 York Elvington
Through Tadcaster
Selby Ferry

2

Kenyatta Nat
Park (Proposed)
Heading Onward
Edinburgh
0725 Edinburgh
0730 Crossed Yser
River
0745 Year - turned
left on Southern
Varden Highway
towards Kenyatta
Passed Doogakloof
0755 Crossed
Kenya Pastoral Coach
0758 Southern Route
0800 Traveled -
Traveled right
before - Woon
Mount & Eyedon
Johnson
Ind Son Da
To Thula - Kenya

Brother Pat — best
eyesight —
ready
0830 ↳ start

0900
~ No 1 Helianthus x
W10706 cyanoplus
Dwarf WS
Iris - red - brown
Bill - blue-grey / black up
Legs - Grey-black
Polish - black
Cont. K. Kelly

Beautiful new
Rust Green Plant
with long ...

Four Spotted Pardalote
with a few small
red white ...
... bark

~No 3 Chimaera
W10708 leucophaea

Dors dk brown
Bell brownish
Legs grey pink
lighter
Palpi - dark end
Coll of Amer.

~No 4 Platycerus
W10709 oregonensis

Dors Dk Brown
Bell whitish
Legs Grey
Palpi whitish
Coll K K & A Mus
(Smithf.)

6

12.40 - Lunch
The [illegible] an
excellent [illegible]
area [illegible] Rest
[illegible] but were
[illegible] a poor
[illegible].
Apart from
[illegible] that
we have had
a [illegible].
An Eastern
European
[illegible] with the
Southern
go down the main
and a Kookaburra
with plumes
[illegible]

permanently
caught on forks
or perhaps on
knees

Bands Lem/Lem
- Black Dick
- White Ibex
- Straw-n Ibex
- White Egret
- Coral Rosella
- Coal Swamphen
- White Cockatoo
- Sparkle Parakeet
- B.F.C.S.
- Grey Thrush
- Wh-b Sandpiper

8

2 football calls

✓ No 5

W10710 Concussion

Dive Hand Okbrown

Bull Block

Logo Spread

Polaski Spread

Call K-Kelly

✓ No 6 Pantyraid

W10711 allegiance

Dive Okbrown

Bull Whitesell

Logo Spread

Polaski Whitesell

Call K-Kelly

45 yards

No 8.

10

No. 7

W10712 Hemingford

(Morrow)

Ewe Blk brown
Bull Black
Hogs Black & grey
Polled Yellow
Calf Roan

No 8 Ditto

W10713 Ewe Blk brown
Bull Black
Hogs Black & grey
Polled yellow
Calf Roan

1930 Cleaning Guns

1800 Repaired

Arrived

Voted

1940

Templestowe

8505074

Oct 13 1982

To Mr & Mrs Boillat:

112 Templestowe Rd
Lower Templestowe

from Lee N Cayley
Paintings

1405 To Templestowe Rd
was in Sheehan
Rd to service Rd -
112 - 1st Lowry
1425 around
= on ground & Mrs
carrying Spot bags
Heidelberg

Mr Ken & Mr Phil
Boillat
Mr Wallace called back
and Zed and -
, Glen Cayley

12

Blk - black
Mount
ca 18" x 12"

Bm S = 9½"

Ken collect
Bernard (N
Employ unidentified

10.20 Return

Field Trip
Co-ordinating with
Kevin Kelly
to N.I.M.B.W Farm
Wexford
November 18th 1982.

0720 Cast. cloudy
Depart Waterford
for Enniscorthy
0810 Leave Kevin
- Traffic very
heavy with city
- two Cattle
& pulp lorries.
1000 to South-east end
of Farm cereal
Ploughed & Drilled
- Mr Kelly had left

No 19 C- accumulate
W 10 72 kgs ~~yellow~~ yellow-brown
Bull brown
2 yrs: Dairy
Cow 12 Kilo

14

No 2 C. reptocapillus (alexandrinus)
W 10 730 Legs black
Eyes brown
Abdomen 2 rows Dk brown
Cont Mex.

Cl 1200 h Spiders
Legs black
prosoma
1300 - 13.3a Leucht

No 3 C. reptocapillus
W 10 731 Legs Bk Bill black
Legs & Black
Cont K. Kelly
1500 Back to other end

No 4 C. ferruginea
2 rows Dk brown
W 10 3 Legs black
Bill black
Cont Mex

75

75 & 76 Old Forest and Field - has been a busy - windy week - 2 weeks of rain expected - Forehead.

Very unpleasant damp) birds

Blue Heron (Many)
White Wagtail (Many)
Wh-fr Chat - empty
Lesser Spotted
eating
Green Sand Warbler
eating
Marsh (Whobird)
Tern many
Lesser Gull
Many
Swan

16

White-eyed Duck
Tawny
Common Pochard
Ferruginous
Tufted
Greater Scaup
Lesser
Common Eider
Steller's
Spectacled
Common
Harlequin
Surf
White-winged
Common Scoter
Velvet
Black
Long-tailed
Bufflehead
Common Goldeneye
Barrow's
Hooded
Common
Red-breasted
Smew
Red-breasted
Goosander
Ruddy

- Many rabbits —
seemingly unaffected
by Myxo at present.

Karen collected
one for Malin
display.

17:30 Evan
changes —
packed up
departing for city
Time, reaches
Avenues Vauxhall
18:45

The complexion of the
day has been to
become overcast
with the whole area
(surrounding ranges)
hidden here —
grasses, sedge grass

Ended meeting
Thursday wondering
"saxophone" that
means that.
Upon walking she
talked over
for future
corrections.

Field Trip
Collecting + Water
Observation
to MMBW Farm
Werribee
Dec 15th 1982

0700 Cool cloudy
- Left Thursday
Thirsty - Airport
Valley Inn
0825 Reached farm.
Weather Cool 99%
- met Mr Bruce
Edwards - obtained key
for gate
0930 Down at creek
- South over South Road

No 1 C. accumulator
W107A3 Dr Skibinski
Bill Blanket
Ivy Shirgwin
Carol Hatch

20

No 2 C. [illegible]
W 10744 Bell blooded
Legs [illegible]
Coll [illegible]

No 3 L. norae-hollandiae
W 10745 [illegible]
[illegible] Bell blooded
Legs [illegible]
Coll [illegible]

No 4 W 10746 Chlidonias hybrida
Pal. [illegible] Deep purple blue
Bell Deep red
Legs pale dusky
Coll [illegible]

12.15 – 12-40 Lunch
– on South Road –
Moorland.

12.45 Setting off towards
Spot
Finally along
Brecks Road &
The Spit
Looking out &
walking in 1400 hrs
, Encountering
Lion & Lamb fm
a distance

14.40 Setting out
for exploration
again
Tried Bungee
Jumper with Cuckoo
Of particulars
entered today
have been :-
– 2-3 Swans
Herons in
Tow plumage

22

- a long black (burnished) Pink-ends Dress on work

- Red - Warbler Network only - I completed read working in Typhoa

- Beech duck for my fur coat beards work with floppy wings head - 250 pairs

No 5 1/2 Chrysococcyx basilis

Chestnut Bill Black

Two black
Polish and
Coll Dorset

On searching for
the last of the fall
I was clearing
Turbo's bushes away
when I saw
unfortunately found
I had damaged
a wren's nest
hardly concealed
in the ivy
(3 eggs - broken)
Evidently may have
been watching the
nest.

Also saw
Fieldfare exhibiting
full plumage,
Goldfinches eating

waking material
Wilde Wrigley
Reports Skylarks
very active by
roadside
Brown Falcon
in courtship.
Breeding
very well advanced
in most species
Surrounds dry
16.30 Returned
Jack by -
passed out into
Thunder by road
relieved Jim
packed up.
17.00 Departed
for Nulla.
18.30 Arrived
Valley

Note Field Trip MW 1984 25
on p 179 Jack Jones
Field Trip No 1
With Michael Traynor
29/8/89 Long Forest Nr.
Bjerrewarth Cntr

- 0900 To Aberdeen
  Arrangements with
  Mike
- 930 Depart Aberdeen.
  Cold cloudy.

1020 To Mr Donald's

No 1 Ms. Lochenvelloch
W11169 Chaffinch
Coal Tit.
Jays (blue grey) Brown
Lap Blackbird
Bull blackbird

No 2 ~~Silver Lochenvelloch~~
W11175 Lochenvelloch
Jays Dk brown
Rep Hooded
Bull Hawthorn

2/6

No 3 L. Chrysler

W11168 Jas Brown

Log Bray

Bell Blackwell

Coll M&T.

No 4 Rosenthaler

W11170 Imrie

Jas brown

Log Bryson

Bell Blackwell

Coll M&T

No 5 Ac. Chrysanthemum

W11172 Jas Crean

Log Blackwell

Bell Blackwell

Coll M&T.

No 6 Polyserus
W11167 [illegible]

Jim Brown
Bill Grey/Jim-Wolski
Grey
Leon Ames.
11:35 - 12:10 lunch
- ~~Sat~~ Sat wandering
Then back to work
with Wilson party

No 7 Melithaea
W11173 [illegible]

Jim
Bill : Brown
Leo Brown
Leon
Carl Ames

28

No 8 Chrysoperla
W11171 [illegible]
Dors brown
Legs Grey
Bill Black
Coel Mgt

No 9 Lichnostoma
W11174 chrysops
Dors brown
Legs Grey
Bill Black
Coel Mgt.

Rounded m at 1500
by 15.10 hours
[illegible] guns
& were selling

[illegible] for Mello

16-30 [illegible]

Dr ALAN BAKER + MR. RORY O'BRIEN.

9 Dec 1985 - Corncllo ~~H. fuliginosus~~ Westerport Bay

Pied oystercatcher Field No. 1.
= Baker #235

2.05 pm.

3.40 pm. 4) Curlew Sandpipers
Field No 2, 3, 4 + 5

~3.45 pm. 1) Curlew Sandpiper
Field No. 6

2) Calidris ruficollis Field No 7 + 8.

6.00 pm Pyramid Rock, Phillip Island

1) ~~Sooty~~ Haematopus fuliginosus
Field No, 9. = Baker #236.

[SPECHT]

Life Form and Height of Tallest Stratum*	Projective Foliage Cover of Tallest Stratum*: Dense > X (70–100%) = XX	Mid Dense (30–70%) = Y	Sparse (10–30%) = Z	Very Sparse† ZZ = (< 10%)
Trees‡ > 30 m	Tall closed-forest*	Tall open-forest	Tall woodland§	Tall open-woodland§
Trees‡ 10–30 m	Closed-forest*	Open forest	Woodland	Open-woodland§
Trees‡ 5–10 m	Low closed-forest*	Low open-forest	Low woodland	Low open-woodland
Shrubs‡ 2–8 m	Closed-scrub	Open-scrub	Tall shrubland	Tall open-shrubland
Shrubs‡ 0–2 m	Closed-heath	Open-heath	Low shrubland	Low open-shrubland§
Hummock grasses 0–2 m	—	—	Hummock grassland	Open hummock grassland§
Herbs (incl. moss, ferns, hemicryptophytes, geophytes, therophytes, hydrophytes, helophytes)	Closed-herbland¶	Herbland¶	Open-herbland¶	-
	Closed-tussock grassland	Tussock grassland	Open-tussock grassland	-
	Closed-grassland	Grassland	Open-grassland	—
	Closed-herbfield	Herbfield	Open-herbfield	—
	Closed-sedgeland	Sedgeland	Open-sedgeland	—
	Closed-fernland	Fernland	Open-fernland§	—
	Closed-mossland	Mossland	Open-mossland§	—

* Isolated trees (emergents) may project from the canopy of some communities (Richards, Tansley, and Watt, *Imp. For. Inst. Pap.* No. 19, 1939 6). In some closed-forests, emergent *Araucaria*, *Acacia*, or *Eucalyptus* species may be so frequent that the resultant structural form may be classified better as an open forest.

† Some ecologists prefer to ignore scattered trees and shrubs, equivalent to emergents in a predominantly grassland, heath, or shrubland formation.

‡ A tree is defined as a woody plant more than 5 m tall, usually with a single stem. A shrub is a woody plant less than 8 m tall, frequently with many stems arising at or near the base (slightly modified from Beadle and Costin, *Proc. Linn. Soc. N.S.W.* 77. 1952, 61).

§ These formations are rare in Australia.

¶ Appropriate names for the community will depend on the nature of the dominant herb.

Formula*	Very Dense (*v.d.*) (< dia. canopy)	Dense (*d.*) (< twice dia. canopy)	Mid-dense (*m.d.*) (> twice dia. canopy)	Open (*o.*)
TS_1S_2	Rain forest *T* { Multistoreyed—tropical and temperate rain forest Unistoreyed—depauperate rain forest	Sclerophyll forest *S* { Sclerophyllous dry sclerophyll forest Partly mesomorphic—wet sclerophyll forest	—	—
T/S_1S_2	—	Sclerophyll shrub woodland *T* { Single-stemmed—tall and low sclerophyll shrub woodland Multistemmed—mallee	—	Tree heath
S_2	—	Heath	—	—
TG	—	Grassy forest	Woodland *T* { Mid-dense—tall and low woodland More open—savannah woodland	Tree savannah
TS_1S_2G	—	Layered forest	Layered woodland	—
T/S_1S_2G	—	Low layered forest	Low layered woodland	Shrub savannah
S_2G	—	—	Shrub steppe	—
G (grasses)	—	Continuous grassland	Tussock grassland	Hummock grassland
(forbs)	—	Herbfield		

* *T*, trees; S_1, tall shrubs; S_2, low shrubs; *G*, herbs. For further details and explanations see p. 68.

A.

- Acrocephalus cyanoptilus
PV.

Acrocephalus stentoreus
West 2V.

B

C.

Calidris arenaria, 13, 19,

Charadrius ~~pecuarius~~ rufigapillus 14,

Calidris rufigollis 14,

Calidris fasciginea 14

- Chlidonias hybridi 20

- Chroicocephalus bacchi 22,

C (cont)

(Cont)

C. (cont)

E,

F.

G.

- Hebrew morphology

I.

K.

- Lettres à [illegible]

1920

M.

- M.M.B.K. - Fellow - Lee Warrick

17
(cont)

P.

- Pandalotus punctatus
  male ♂ p 3

P
(Cont)

P. (cont)

R -

- Seymour - Le Travail

SCont'l

- Transvaal pp 1-9

W

- Wenquist 3p13 - 18, Note
p 19-24, Note

x - y

Collecting Permit

1982 82/70

– K. Kelly
71 Darling Rd Malvern East
5722290